Title	Authors
Core outcome measures for chronic pain clinical trials: IMMPACT recommendations	Dworkin, RH; Turk, DC; Farrar, JT; Haythornthwaite, JA; Jensen, MP; Katz, NP; Kerns, RD; Stucki, G; Allen, RR; Bellamy, N; Carr, DB; Chandler, J; Cowan, P; Dionne, R; Galer, BS; Hertz, S; Jadad, AR; Kramer, LD; Manning, DC; Martin, S; McCormick, CG; McDermott, MP; McGrath, P; Quessy, S; Rappaport, BA; Robbins, W; Robinson, JP; Rothman, M; Royal, MA; Simon, L; Stauffer, JW; Stein, W; Tollett, J; Wernicke, J; Witter, J
Pharmacologic management of neuropathic pain: Evidence-based recommendations	Dworkin, Robert H.; O'Connor, Alec B.; Backonja, Miroslav; Farrar, John T.; Finnerup, Nanna B.; Jensen, Troels S.; Kalso, Eija A.; Loeser, John D.; Miaskowski, Christine; Nurmikko, Turo J.; Portenoy, Russell K.; Rice, Andrew S. C.; Stacey, Brett R.; Treede, Rolf-Detlef; Turk, Dennis C.; Wallace, Mark S.
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values	Rolke, R.; Baron, R.; Maier, C.; Toelle, T. R.; Treede, R. -D.; Beyer, A.; Binder, A.; Birbaumer, N.; Birklein, F.; Boetefuer, I. C.; Braune, S.; Flor, H.; Huge, V.; Klug, R.; Landwehrmeyer, G. B.; Magerl, W.; Maihoefner, C.; Rolko, C.; Schaub, C.; Scherens, A.; Sprenger, T.; Valet, M.; Wasserka, B.
Central sensitization: Implications for the diagnosis and treatment of pain	Woolf, Clifford J.
Algorithm for neuropathic pain treatment: An evidence based proposal	Finnerup, NB; Otto, M; McQuay, HJ; Jensen, TS; Sindrup, SH
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4)	Bouhassira, D; Attal, N; Alchaar, H; Boureau, F; Brochet, B; Bruxelle, J; Cunin, G; Fermanian, J; Ginies, P; Grun-Overdyking, A; Jafari-Schluep, H; Lanteri-Minet, M; Laurent, B; Mick, G; Serrie, A; Valade, D; Vicaut, E
Opioids in chronic non-cancer pain: systematic review of efficacy and safety	Kalso, E; Edwards, JE; Moore, RA; McQuay, HJ
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC3-study	Picavet, HSJ; Schouten, JSAG
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations	Turk, DC; Dworkin, RH; Allen, RR; Bellamy, N; Brandenburg, N; Carr, DB; Cleeland, C; Dionne, R; Farrar, JT; Galer, BS; Hewitt, DJ; Jadad, AR; Katz, NP; Kramer, LD; Manning, DC; McCormick, CG; McDermott, MP; McGrath, P; Quessy, S; Rappaport, BA; Robinson, JP; Royal, MA; Simon, L; Stauffer, JW; Stein, W; Tollett, J; Witter, J
Disruption of the P2X(7) purinoceptor gene abolishes chronic inflammatory and neuropathic pain	Chessell, IP; Hatcher, JP; Bountra, C; Michel, AD; Hughes, JP; Green, P; Egerton, J; Murfin, M; Richardson, J; Peck, WL; Grahames, CBA; Casula, MA; Yiangou, Y; Birch, R; Anand, P; Buell, GN

ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model	Zhuang, ZY; Gerner, P; Woolf, CJ; Ji, RR
Duloxetine vs. placebo in patients with painful diabetic neuropathy	Goldstein, DJ; Lu, YL; Detke, MJ; Lee, TC; Iyengar, S
Minocycline attenuates mechanical allodynia and proinflammatory cytokine expression in rat models of pain facilitation	Ledeboer, A; Sloane, EM; Milligan, ED; Frank, MG; Mahony, JH; Maier, SF; Watkins, LR
The evidence for pharmacological treatment of neuropathic pain	Finnerup, Nanna Brix; Sindrup, Soren Hein; Jensen, Troels Staehelin
Pregabalin for the treatment of painful diabetic peripheral neuropathy: a double-blind, placebo-controlled trial	Rosenstock, J; Michael, TB; LaMoreaux, L; Sharma, U
Prevalence of chronic pain with neuropathic characteristics in the general population	Bouhassira, Didier; Lanteri-Minet, Michel; Attal, Nadine; Laurent, Bernard; Touboul, Chantal
Factors associated with the onset and remission of chronic daily headache in a population-based study	Scher, AI; Stewart, WF; Ricci, JA; Lipton, RB
Acceptance of chronic pain: component analysis and a revised assessment method	McCracken, LM; Vowles, KE; Eccleston, C
Development and validation of the neuropathic pain symptom inventory	Bouhassira, D; Attal, N; Fermanian, J; Alchaar, H; Gautron, M; Masquelier, E; Rostaing, S; Lanteri-Minet, M; Collin, E; Grisart, J; Boureau, F
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain - an fMR1 analysis	Valet, M; Sprenger, T; Boecker, H; Willoch, F; Rummeny, E; Conrad, B; Erhard, P; Tolle, TR
Studying sex and gender differences in pain and analgesia: A consensus report	Greenspan, Joel D.; Craft, Rebecca M.; LeResche, Linda; Arendt-Nielsen, Lars; Berkley, Karen J.; Fillingim, Roger B.; Gold, Michael S.; Holdcroft, Anita; Lautenbacher, Stefan; Mayer, Emeran A.; Mogil, Jeffrey S.; Murphy, Anne Z.; Traub, Richard J.
Efficacy of pregabalin in neuropathic pain evaluated in a 12-week, randomised, double-blind, multicentre, placebo-controlled trial of flexible- and fixed-dose regimens	Freynhagen, R; Strojek, K; Griesing, T; Whalen, E; Balkenohl, M
Inhibition of neuropathic pain by decreased expression of the tetrodotoxin-resistant sodium channel, NaV1.8	Lai, J; Gold, MS; Kim, CS; Bian, D; Ossipov, MH; Hunter, JC; Porreca, F
A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury	Siddall, PJ; McClelland, JM; Rutkowski, SB; Cousins, MJ
Controlled-release oxycodone relieves neuropathic pain: a randomized controlled trial in painful diabetic neuropathy	Watson, CPN; Moulin, D; Watt-Watson, J; Gordon, A; Eisenhoffer, J
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial	Sabatowski, R; Galvez, R; Cherry, DA; Jacquot, F; Vincent, E; Maisonobe, P; Versavel, M
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain	Cui, ML; Khanijou, S; Rubino, J; Aoki, KR

Spinal cord stimulation versus conventional medical management for neuropathic pain: A multicentre randomised controlled trial in patients with failed back surgery syndrome	Kumar, Krishna; Taylor, Rod S.; Jacques, Line; Eldabe, Sam; Meglio, Mario; Molet, Joan; Thomson, Simon; O'Callaghan, Jim; Eisenberg, Elon; Milbouw, Germain; Buchser, Eric; Fortim, Gianpaolo; Richardson, Jonathan; North, Richard B.
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample	McWilliams, LA; Cox, BJ; Enns, MW
A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder	Arnold, LM; Rosen, A; Pritchett, YL; D'Souza, DN; Goldstein, DJ; Iyengar, S; Wernicke, JF
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Somatosensory abnormalities in 1236 patients with different neuropathic pain syndromes	Maier, C.; Baron, R.; Toelle, T. R.; Binder, A.; Birbaumer, N.; Birklein, F.; Gierthmuehlen, J.; Flor, H.; Geber, C.; Huge, V.; Krumova, E. K.; Landwehrmeyer, G. B.; Magerl, W.; Maihoefner, C.; Richter, H.; Rolke, R.; Scherens, A.; Schwarz, A.; Sommer, C.; Tronnier, V.; Ueceyler, N.; Valet, M.; Wasner, G.; Treede, R. -D.
Translation of symptoms and signs into mechanisms in neuropathic pain	Jensen, TS; Baron, R
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents	Stinson, Jennifer N.; Kavanagh, Tricia; Yamada, Janet; Gill, Navreet; Stevens, Bonnie
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury	Fregni, F; Boggio, PS; Lima, MC; Ferreira, MJL; Wagner, T; Rigonatti, SP; Castro, AW; Souza, DR; Riberto, M; Freedman, SD; Nitsche, MA; Pascual-Leone, A
Widespread pain in fibromyalgia is related to a deficit of endogenous pain inhibition	Julien, N; Goffaux, P; Arsenault, P; Marchand, S
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1	Sluka, KA; Price, MP; Breese, NA; Stucky, CL; Wemmie, JA; Welsh, MJ
Prognostic factors of whiplash-associated disorders: A systematic review of prospective cohort studies	Scholten-Peeters, GGM; Verhagen, AP; Bekkering, GE; van der Windt, DAWM; Barnsley, L; Oostendorp, RAB; Hendriks, EJM
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network	Bingel, U; Lorenz, J; Schoell, E; Weiller, C; Buchel, C
Cognitive modulation of pain: how do attention and emotion influence pain processing?	Villemure, C; Bushnell, MC
NeuPSIG guidelines on neuropathic pain assessment	Haanpaa, Maija; Attal, Nadine; Backonja, Miroslav; Baron, Ralf; Bennett, Michael; Bouhassira, Didier; Cruccu, Giorgio; Hansson, Per; Haythornthwaite, Jennifer A.; Iannetti, Gian Domenico; Jensen, Troels S.; Kauppila, Timo; Nurmikko, Turo J.; Rice, Andew S. C.; Rowbotham, Michael; Serra, Jordi; Sommer, Claudia; Smith, Blair H.; Treede, Rolf-Detlef
Office visits and analgesic prescriptions for musculoskeletal pain in US: 1980 vs. 2000	Caudill-Slosberg, MA; Schwartz, LM; Woloshin, S

Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy	Flatters, SJL; Bennett, GJ
Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery	Sterling, M; Jull, G; Vicenzino, B; Kenardy, J
A confirmatory factor analysis of the Pain Catastrophizing Scale: invariant factor structure across clinical and non-clinical populations	Van Damme, S; Crombez, G; Bijttebier, P; Goubert, L; Van Houdenhove, B
Coping or acceptance: what to do about chronic pain?	McCracken, LA; Eccleston, C
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia	Banic, B; Petersen-Felix, S; Andersen, OK; Radanov, BP; Villiger, PM; Arendt-Nielsen, L; Curatolo, M
Descending modulation in persistent pain: an update	Ren, K; Dubner, R
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain	Black, JA; Liu, SJ; Tanaka, M; Cummins, TR; Waxman, SG
Chronic pain may change the structure of the brain	May, Arne
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain	Linde, Klaus; Witt, Claudia M.; Streng, Andrea; Weidenhammer, Wolfgang; Wagenpfeil, Stefan; Brinkhaus, Benno; Willich, Stefan N.; Melchart, Dieter

Publication Year	2015	Total Citations
2005	155	942
2007	103	768
2006	109	635
2011	189	573
2005	45	571
2005	84	530
2004	50	474
2003	39	444
2003	64	414
2005	32	402

2005	42	377
2005	24	375
2005	32	372
2010	70	359
2004	17	359
2008	64	345
2003	23	331
2004	48	316
2004	37	306
2004	29	297
2007	36	296
2005	14	288
2002	9	287
2003	37	284
2003	17	280
2004	10	275
2004	24	274

2007	36	270
2003	33	262
2005	9	259
2010	65	255
2003	10	255
2006	30	253
2006	38	253
2005	29	246
2003	23	244
2003	19	243
2006	27	241
2002	14	240
2011	60	239
2004	21	236

2004	27	232
2003	22	232
2002	30	232
2003	21	231
2004	21	227
2002	8	226
2004	15	225
2008	30	224
2007	19	224